



Tropical Convective-scale Numerical Weather Prediction

SINGV – A Tropical Convective-scale NWP system

Resolution and convection modelling

Tropical model error covariance and model balancing

Data assimilation

Hans Huang
Senior Principal Research Scientist

YMC workshop

27-30 Jan 2015

SINGV – A Tropical Convective-Scale NWP/Nowcasting system:

Overall goals

- To equip the MSS with a state-of-the-art tropical, convective-scale NWP/nowcasting system, also suitable for high-resolution climate simulations.
- To make use of the wide range of global expertise in the use of operational UM.
- To transition to a full operational NWP service for the provision of forecasts and hazard warnings.
- To provide a framework for training and R&D collaborations between MSS scientists and operational users of UM worldwide.
- To establish the MSS as a leading centre of expertise and capability in tropical, high-resolution NWP.



SINGV Project

UKMO :

Dale Barker

Stu Webster

Douglas Boyd

Kalli Furtado

Jonathan Wilkinson

Adrian Lock

Martin McMillan

Laura Stewart

Graeme Kelly

MSS:

Hans Huang

Jeff Lo

Sijin Zhang

Xiangming Sun

Mai Nguyen

IT STAFF

SR/SCIENTIST

UKMO long-term visitor 1

UKMO long-term visitor 2

SINGV: Milestones

- Establish NWP R&D test-bed at MSS April 2014
- Transition the downscaler to real-time May 2015
- Start probabilistic NWP April 2017
- Upgrade to ensemble DA system April 2018

Project kick-off: 1 May 2013

Year 1-2: A real-time, single forecast experimental test-bed


Year 3: Real time application and data assimilation upgrade

Year 4-5: Probabilistic forecasting, transit to operational

SINGV can be used during YMC field experiments?!




Layout of various SINGV configurations



Credit: Stuart Webster

SINGV model configuration




A few key specifications of SINGV model

- Full non-hydrostatic equations
 - Explicit convection treatment
 - ENDGame dynamical core
 - P2A blended boundary layer scheme
-
- | | |
|--------------------|---------------------|
| • Horizontal reso. | 1.5 km (0.0135 deg) |
| • Grid mesh | 1092x1026x80 |
| • Model top | 38.5 km |
| • Time step | 50s |


Need High Resolution to:

- Resolve localized convective weather systems
- Resolve land-sea contrasts and orography
- Explicitly model convection (avoid convection parameterization) – improve precipitation simulation
- ... etc.


50km




25km




5km



1km




Convection modelling




Probability densities of precipitation from MetUM limited-area model simulations at 12km horizontal resolution with parameterised convection (12km param) and at 4 and 12km with the convection scheme switched off (4 km 3Dsmag and 12km 3Dsmag). 4km was run with both 2D and 3D subgrid Smagorinski mixing schemes (taken from Holloway et al. 2012).

Quantile distributions of daily mean rainfall amounts (CDFs – Cumulative Distribution Functions)




Diurnal peak precipitation and the amplitude of diurnal cycle

Local time (UTC+8) of diurnal peak precipitation: NDJ




Diurnal peak precipitation minus diurnal minimum [mm/h]: NDJ




24hr Precipitation Accumulation Fraction Skill Score (FSS)

24hr Precipitation Accumulation, 0.125, Fractions Skill Score (Forecast - Analysis),
Area 539, T+24, Meaned between 20130901 06:00 and 20130930 18:00, Analysis




24hr Precipitation Accumulation, 64.0, Fractions Skill Score (Forecast - Analysis),
Area 539, T+24, Meaned between 20130901 06:00 and 20130930 18:00, Analysis




Balance in Tropical Convective-Scale Models?

DFI




No DFI




(Dry) Surface Pressure Tendency

BE: Covariance Modeling

CV5



CV6



Wind increments (m/s) after assimilating a single T observation
at model level 5



Case study of WRF 4D-Var radar DA for a US squall line

CV5 4km

6 outer loops with

20 iterations for each Obs

6h fcst of 1h accum. rainfall



◆ Diabatic initialization significantly improves the QPF

◆ Compared with 4DVar, 3DVar produces a slower squall line and the precipitation amount is over-predicted

Sun and Wang (2013)







Radar data assimilation with WRFDA 4D-Var for a Meiyu case

Courtesy of Ying Zhang (NCAR)

CV7, 3KM

- 20 min assimilation window
- Assimilate radial velocity and reflectivity from 4 CWB operational radars
- 3 outer loops with 45 iterations each

6hr rainfall valid at 2012-06-10_06:00



Summary

1. **SINGV – A Tropical Convective-scale NWP system**
2. **Resolution and convection modelling**
3. **Tropical model error covariance and model balancing**
4. **Data assimilation**